


S08*Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.1 (PAGE 3 OF 4)

Size: 5.11 x 7.4 mm

| PIN(s) | PAD | | | |
|--------|------|-------|--------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-8 | SMT | Rect | 0.8 x 2.4 mm | --- |

Scale 2:1


**S08W***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.1 (PAGE 3 OF 4)

Size: 5.11 x 11.8 mm

| PIN(s) | PAD | | | |
|--------|------|-------|--------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-8 | SMT | Rect | 0.8 x 2.6 mm | --- |

Scale 2:1


**S014***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.1 (PAGE 3 OF 4)

Size: 9.02 x 7.4 mm

| PIN(s) | PAD | | | |
|--------|------|-------|--------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-14 | SMT | Rect | 0.8 x 2.4 mm | --- |

Scale 2:1


**S014W***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.1 (PAGE 3 OF 4)

Size: 9.02 x 11.8 mm

| PIN(s) | PAD | | | |
|--------|------|-------|--------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-14 | SMT | Rect | 0.8 x 2.6 mm | --- |

Scale 2:1




S016*Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.1 (PAGE 3 OF 4)

Size: 10.29 x 7.4 mm

| PIN(s) | PAD | | | |
|--------|------|-------|--------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-16 | SMT | Rect | 0.8 x 2.4 mm | --- |

Scale 2:1


**S016W***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.1 (PAGE 3 OF 4)

Size: 10.29 x 11.8 mm

| PIN(s) | PAD | | | |
|--------|------|-------|--------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-16 | SMT | Rect | 0.8 x 2.6 mm | --- |

Scale 2:1


**S020W***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.1 (PAGE 3 OF 4)

Size: 12.83 x 11.8 mm

| PIN(s) | PAD | | | |
|--------|------|-------|--------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-20 | SMT | Rect | 0.8 x 2.6 mm | --- |

Scale 2:1


**S024W***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.1 (PAGE 3 OF 4)

Size: 15.37 x 11.8 mm

| PIN(s) | PAD | | | |
|--------|------|-------|--------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-24 | SMT | Rect | 0.8 x 2.2 mm | --- |

Scale 2:1




S024X*Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.1 (PAGE 3 OF 4)

Size: 15.37 x 13.2 mm

| PIN(s) | PAD | | | |
|--------|------|-------|--------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-24 | SMT | Rect | 0.8 x 2.2 mm | --- |

Scale 2:1


**S028W***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.1 (PAGE 3 OF 4)

Size: 17.91 x 11.8 mm

| PIN(s) | PAD | | | |
|--------|------|-------|--------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-28 | SMT | Rect | 0.8 x 2.2 mm | --- |

Scale 2:1


**S028X***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.1 (PAGE 3 OF 4)

Size: 17.91 x 13.2 mm

| PIN(s) | PAD | | | |
|--------|------|-------|--------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-28 | SMT | Rect | 0.8 x 2.2 mm | --- |

Scale 2:1


**S032W***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.1 (PAGE 3 OF 4)

Size: 20.45 x 11.8 mm

| PIN(s) | PAD | | | |
|--------|------|-------|--------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-32 | SMT | Rect | 0.8 x 2.2 mm | --- |

Scale 2:1




S032X*Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.1 (PAGE 3 OF 4)

Size: 20.45 x 13.2 mm

| PIN(s) | PAD | | | |
|--------|------|-------|--------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-32 | SMT | Rect | 0.8 x 2.2 mm | --- |

Scale 2:1


**S036W***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.1 (PAGE 3 OF 4)

Size: 22.99 x 11.8 mm

| PIN(s) | PAD | | | |
|--------|------|-------|--------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-36 | SMT | Rect | 0.8 x 2.2 mm | --- |

Scale 2:1


**S036X***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.1 (PAGE 3 OF 4)

Size: 22.99 x 13.2 mm

| PIN(s) | PAD | | | |
|--------|------|-------|--------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-36 | SMT | Rect | 0.8 x 2.2 mm | --- |

Scale 2:1


**SS048***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.2 (PAGE 3 OF 4)

Size: 16.69 x 11.6 mm

| PIN(s) | PAD | | | |
|--------|------|-------|--------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-48 | SMT | Round | 2.2 mm | --- |

Scale 2:1




SS056*Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.2 (PAGE 3 OF 4)

Size: 19.21 x 11.6 mm

| PIN(s) | PAD | | | |
|--------|------|-------|--------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-56 | SMT | Round | 2.2 mm | --- |

Scale 2:1

**S064***Author:* Ivex*Source:* SURFACE MOUNT DESIGN AND LAND PATTERN

STANDARD SUBSECTION 9.2 (PAGE 3 OF 4)

Size: 26.8 x 15.6 mm

| PIN(s) | PAD | | | |
|--------|------|-------|------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-64 | SMT | Round | 2 mm | --- |

Scale 2:1

